






- 18.5
1920 1080
- / 10
- / /
- / / 390
- 2
- 2 232/422/485
- 12-36 / /
- /






尺寸公差 Dimensional Tolerances : $\begin{matrix} +1.5 \\ -0 \end{matrix}$ $\begin{matrix} +1.5 \\ -0 \end{matrix}$ mm




允許尺寸公差: $\begin{matrix} +1.5 \\ -0 \end{matrix} \sqrt{A270} \begin{matrix} +1.5 \\ -0 \end{matrix} \text{MM}$



允許尺寸公差: $\begin{matrix} +1.5 \\ -0 \end{matrix} \sqrt{A270} \begin{matrix} +1.5 \\ -0 \end{matrix} \text{MM}$



-185 3 -		1920 10	8	256	2	4	2
-8 -	6412	80					
-185 5 -	3	1920 10	8	256	4	4	2
3-8 -	1215	80					
-185 5 -	5	1920 10	8	256	4	4	2
5-8 -	1235	80					
-185 5 -	7	1920 10	8	256	4	4	2
7-8 -	1255	80					
-185 5 -	5	1920 10	8	256	4	4	2
5-8 -	12450	80					
-185 5 -	7	2040 100-5 'J0-	8	256	4	4	2
7-8 -	12650	80					
-185 5 -	3	1920 10	8	256	4	4	2
3-8 -	1315	80					
-185 5 -	5	1920 10	8	256	4	4	2
5-8 -	1335	80					
-185 5 -	7	1920 10	8	256	4	4	2
7-8 -	1355	80					
-185 5 -	5	1920 10	8	256	4	4	2
5-8 -	13420	80					



06519034-6 ,65 ,100-240 ,19 ,3.42 ,
 W L•F





	-		16			
	-		32			
	.2	128	,256	,512	,1	,2
	2.5	128	,256	,512	,1	,2
	4	/5				
		&				
	2	232				
	-4		, 0.1			
		,75	100			
		,2Pin,3.81mm				
	,	180	,		, 304,	=3.0,24 21.7 23