







- 12.1 1024
- 768
- / 10
- / /
- / / 390
- 2
- 2 232/422/485
- 12-36 / /






CUT OUT Dimensions:  $286.5^{+1.5}_{-0}$  x  $225.5^{+1.5}_{-0}$  mm



CUT OUT Dimensions:  $286.5^{+1.5}_{-0}$  x  $225.5^{+1.5}_{-0}$  mm



CUT OUT Dimensions:  $286.5^{+1.5}_{-0}$  x  $225.5^{+1.5}_{-0}$  mm



				3-1215 /15-1235 /17-1255 .15			
	4	2.0	6412 .10	5-12450 / 7-12650 .25	390 6/8/9	7/5/3 .65	1151
				3-1315 /15-1335 /17-1355 .15			
				5-13420 / 7-13620 .25			
	1	-	4- 3200,	1 - 32	5-5200	1 - 16	4-3200,
	1	.2	2242/2280	1 .2	2242/2280		
	1	7+15	3.0	1 7+15	3.0		
	1	210	.1	3	226- 1	210	4
	2		232/422/485	2	232		
	4		3.0				
	1						
	1						
	1	1.4		1	1.4	1	1.2
	1	.2	2230	6	1	.2	3052/3042
		4 / 5					
		4:3					
		1024	768				
		500	/ 2				
		1200:1					
		50000					
		88 ( )	, 88 ( )	, 88 ( )	, 88 ( )		
		10	5				
		81%	( 80%)				
		5000	1000				
		12-36	, / / /				
		298.5	237.5 71 (	79	)		
		7		10,	11,		
				0 50	(32 122 )		
				-20 60	(-4 140 )		
		95%	40 ( - )				
		-20	60 (-4 140 )				
		15	11				



-121 3 -		1024						
-8 -	6412	768	8	256	2	4	2	
	3							
-121 5 -	3-	1024						
3-8 -	1215	768	8	256	4	4	2	
	5							
-121 5 -	5-	1024						
5-8 -	1235	768	8	256	4	4	2	
	7							
-121 5 -	7-	1024						
7-8 -	1255	768	8	256	4	4	2	
	5							
-121 5 -	5-	1024						
5-8 -	12450	768	8	256	4	4	2	
	7							
-121 5 -	7-	1024						
7-8 -	12650	768	8	256	4	4	2	
	3							
-121 5 -	3-	1024						
3-8 -	1315	768	8	256	4	4	2	
	5							
-121 5 -	5-	1024						
5-8 -	1335	768	8	256	4	4	2	
	7							
-121 5 -	7-	1024						
7-8 -	1355	768	8	256	4	4	2	
	5							
-121 5 -	5-	1024						
5-8 -	13420	768	8	256	4	4	2	



, 06519034-6 ,65 ,100-240 ,19 ,3.42 ,  
 , ,0 +40 , ,



, -90 19,90 , 100 240 ,19 ,4.74 ,  
 , / / ,0 40 , ,



, 15019079-6 ,150 ,100 240 ,18.05  
 19.95 ,7.9 ,2 , ,0 40 , ,



, , - =1.5 , - 31  
 -2 5, 300/500 ,3 0.75 2, , , ,

I/O ,JL396-39602G01, ,2Pin,3.96mm,Copper Alloy,90 ,  
 ,NA,NA, ,ASS,JinLing  
 , ( )



	- 16
	- 32
	.2 128 ,256 ,512 ,1 ,2
	2.5 128 ,256 ,512 ,1 ,2
	4 /5
	&
	2 232
	-4 , 0.1
	,75 100 ,
	,2Pin,3.81mm
	, , 304, =3.0,24 21.7 23
	, 180 ,